


An all-season premium touring tire for modern car and SUV owners

The HP-M3 is an all-around performer engineered to deliver peace of mind on dry, wet, or light snow road conditions. The tire features cross-hatch sipes across the tread for added traction on slippery surfaces, while the four circumferential grooves improve hydroplaning resistance.




## SPECIFICATIONS


Rim Size	Size	Service Description	SideWall Name	Overall Diameter	Section Width	MaxPSI	Max Load [lbs]	Approved Rim Width [in]	Ply Rating	P/C/LT	Radial/Bias	Tread Depth
16	225/65R16	100V	BSW	27.6	9.17	44	1764	NA		P	RADIAL	10/32
16	215/55R16	93V	BSW	25.2	8.82	44	1433	NA		P	RADIAL	10/32
16	225/50R16	92V	BSW	24.9	9.09	44	1389	NA		P	RADIAL	10/32
16	225/70R16	107H XL	BSW	28.5	9	50	2149	NA		P	RADIAL	10/32
20	245/40R20	99W XL	BSW	27.9	9.76	50	1709	NA		P	RADIAL	10/32
19	225/45R19	96W XL	BSW	27	8.94	50	1565	NA		P	RADIAL	10/32
18	225/55R18	98V	BSW	27.8	8.9	44	1653	NA		P	RADIAL	10/32
17	235/65R17	108V XL	BSW	29	9.5	50	2205	NA		P	RADIAL	10/32
16	205/55R16	91V	BSW	24.8	8.31	44	1356	NA		P	RADIAL	10/32
16	215/65R16	98V	BSW	26.9	8.7	44	1653	NA		P	RADIAL	10/32
18	215/55R18	99V XL	BSW	27.3	8.7	50	1709	NA		P	RADIAL	10/32
18	225/50R18	99W	BSW	27	9.06	50	1709	NA		P	RADIAL	10/32
17	235/50R17	100V XL	BSW	26.3	9.3	50	1764	NA		P	RADIAL	10/32
17	225/50R17	94V	BSW	26	9.06	44	1477	NA		P	RADIAL	10/32



20	255/55R20	110V XL	BSW	31.1	10.4	50	2337	NA		P	RADIAL	10/32
19	235/55R19	101V	BSW	29.1	9.53	44	1819	NA		P	RADIAL	10/32
18	245/60R18	105V	BSW	29.6	9.8	44	2039	NA		P	RADIAL	10/32
17	235/55R17	103V XL	BSW	27.1	9.5	50	1929	NA		P	RADIAL	10/32
17	225/60R17	99H	BSW	27.6	8.94	44	1709	NA		P	RADIAL	11/32
17	215/50R17	95V XL	BSW	25.5	8.86	50	1521	NA		P	RADIAL	11/32
16	225/55R16	95V	BSW	25.6	8.98	44	1521	NA		P	RADIAL	10/32
16	235/70R16	109H XL	BSW	29	9.5	50	2271	NA		P	RADIAL	10/32
16	205/65R16	95H	BSW	26.7	8.19	44	1521	NA		P	RADIAL	10/32
19	245/45R19	98W	BSW	27.4	10.3	51	1653	NA		P	RADIAL	10/32
19	255/50R19	107V XL	BSW	29.1	10.4	50	2149	NA		P	RADIAL	10/32
18	245/40R18	97W XL	BSW	25.7	9.76	50	1609	NA		P	RADIAL	10/32
18	235/45R18	94W	BSW	26.2	9.33	51	1477	NA		P	RADIAL	10/32
18	235/65R18	110V XL	BSW	30.2	9.5	50	2337	NA		P	RADIAL	10/32
17	225/55R17	97V	BSW	26.7	9.06	44	1609	NA		P	RADIAL	10/32
17	215/55R17	94V	BSW	26.3	8.94	44	1477	NA		P	RADIAL	10/32
16	205/50R16	87V	BSW	24.1	8.1	44	1201	NA		P	RADIAL	10/32
18	235/60R18	107V XL	BSW	29.2	9.5	50	2149	NA		P	RADIAL	10/32
16	205/50R16	87V	BSW	24.1	8.31	44	1201	NA		P	RADIAL	10/32
20	265/50R20	111V XL	BSW	30.4	10.8	50	2403	NA		P	RADIAL	10/32
19	245/40R19	98W	BSW	26.5	10.5	50	1653	NA		P	RADIAL	10/32
18	225/60R18	100W	BSW	28.7	8.94	51	1764	NA		P	RADIAL	10/32
17	225/45R17	91V	BSW	24.9	8.82	44	1356	NA		P	RADIAL	10/32
16	205/70R16	97H	BSW	27.4	8.1	44	1609	NA		P	RADIAL	10/32
20	245/50R20	102V	BSW	29.8	9.7	44	1874	NA		P	RADIAL	10/32
20	245/45R20	99W	BSW	28.3	10.3	51	1709	NA		P	RADIAL	10/32
19	245/55R19	103V	BSW	29.7	9.8	44	1929	NA		P	RADIAL	10/32
18	235/55R18	100V	BSW	28.2	9.53	44	1764	NA		P	RADIAL	10/32
17	225/65R17	106V XL	BSW	28.6	9.1	50	2094	NA		P	RADIAL	10/32
19	225/55R19	99V	BSW	28.8	9.1	44	1709	NA		P	RADIAL	10/32
19	225/40R19	93W XL	BSW	25.4	9.13	50	1433	NA		P	RADIAL	10/32
19	235/40R19	96W XL	BSW	26.5	9.69	50	1565	NA		P	RADIAL	10/32
18	245/55R18	103W	BSW	28.6	9.84	51	1929	NA		P	RADIAL	10/32
18	245/45R18	100V	BSW	26.6	9.45	50	1764	NA		P	RADIAL	10/32



20	255/50R20	109V XL	BSW	30.1	10.4	50	2271	NA		P	RADIAL	10/32
18	265/60R18	114V XL	BSW	30.5	10.8	50	2601	NA		P	RADIAL	10/32
17	245/65R17	111V XL	BSW	29.7	9.9	50	2403	NA		P	RADIAL	10/32
17	215/45R17	91V	BSW	24.7	8.39	50	1356	NA		P	RADIAL	10/32
17	215/60R17	100V XL	BSW	27.2	8.7	50	1764	NA		P	RADIAL	10/32
16	205/60R16	92V	BSW	25.7	8.15	44	1389	NA		P	RADIAL	10/32
20	235/55R20	105V XL	BSW	30.2	9.5	50	2039	NA		P	RADIAL	10/32
18	255/40R18	99W XL	BSW	26	10.16	50	1709	NA		P	RADIAL	10/32
18	225/40R18	92W XL	BSW	25.1	9.21	50	1389	NA		P	RADIAL	10/32
20	255/45R20	105W XL	BSW	28.9	10.2	50	2039	NA		P	RADIAL	9/32
16	235/65R16	103V	BSW	28	9.69	44	1929	NA		P	RADIAL	10/32
18	255/45R18	103W XL	BSW	27.1	10.08	50	1929	NA		P	RADIAL	10/32
18	235/40R18	95W XL	BSW	25.4	9.5	50	1521	NA		P	RADIAL	10/32
19	255/45R19	104W XL	BSW	28.1	10.12	50	1984	NA		P	RADIAL	10/32
18	235/50R18	101W	BSW	27.4	9.33	50	1819	NA		P	RADIAL	10/32
18	215/45R18	93W XL	BSW	25.6	8.39	50	1433	NA		P	RADIAL	10/32
17	245/45R17	99V XL	BSW	25.6	9.61	50	1709	NA		P	RADIAL	10/32
17	215/65R17	99V	BSW	24.9	8.62	44	1709	NA		P	RADIAL	10/32
16	215/70R16	104H XL	BSW	28	8.7	50	1984	NA		P	RADIAL	10/32
19	255/40R19	100W XL	BSW	27.1	10.24	50	1764	NA		P	RADIAL	10/32
18	255/55R18	109V XL	BSW	28.9	10.4	50	2271	NA		P	RADIAL	10/32
17	235/60R17	106V XL	BSW	28.2	9.5	50	2094	NA		P	RADIAL	10/32
16	215/65R16	102H XL	BSW	26.9	8.7	50	1874	NA		P	RADIAL	10/32
20	275/40R20	106W XL	BSW	28.8	10.83	50	2094	NA		P	RADIAL	10/32
19	255/60R19	113V XL	BSW	31.1	10.3	50	2535	NA		P	RADIAL	10/32
18	255/65R18	115V XL	BSW	31	10.4	50	2679	NA		P	RADIAL	10/32
18	225/45R18	95W	BSW	25.9	8.82	50	1521	NA		P	RADIAL	10/32
17	235/45R17	94W	BSW	25.3	9.29	51	1477	NA		P	RADIAL	10/32
16	195/55R16	87V	BSW	24.4	7.68	44	1201	NA		P	RADIAL	10/32
16	225/60R16	98V	BSW	26.6	9.02	44	1653	NA		P	RADIAL	10/32
16	215/60R16	95V	BSW	26.1	8.78	44	1521	NA		P	RADIAL	10/32
17	245/40R17	95V XL	BSW	24.8	9.76	50	1521	NA		P	RADIAL	10/32
17	205/45R17	88V XL	BSW	24.3	8.03	50	1235	NA		P	RADIAL	10/32
16	235/60R16	100V	BSW	27.1	9.49	44	1764	NA		P	RADIAL	10/32



17	245/70R17	114H XL	BSW	30.5	9.8	50	2601	NA		P	RADIAL	10/32
17	205/50R17	93V	BSW	25.3	8.27	50	1433	NA		P	RADIAL	10/32

Overall Width (+/- 2%) Overall Diameter (+/- 1.5%) Static radius (+/- 2%) Circumference (+/- 2.5%)

for Maxxis Tyres | PK  
**MAXXIS**<sup>®</sup>  
CEO | Maxxis Pakistan



A handwritten signature in blue ink is written over a circular blue stamp. The stamp contains the text "AKESHA HARRIAM PVT LTD." around the perimeter and "Faisalabad" in the center.