

Premium highway terrain designed to deliver greater peace of mind during hauling and towing


Not merely another highway terrain tire, the Maxxis HT-770 is the result of over three years of market research and engineering. We improved the finer details to provide a true all-season premium highway terrain tire for the most discerning truck owner. Maxxis started by using feedback from our customers. We increased the casing stiffness and added tread reinforcements to improve overall braking performance and more importantly, to increase braking confidence when hauling or towing.



SPECIFICATIONS

Rim Size	Size	Service Description	SideWall Name	Overall Diameter	Section Width	MaxPSI	Max Load [lbs]	Approved Rim Width [in]	Ply Rating	P/C/LT	Radial/Bias	Tread Depth
17	235/65R17	104H	OWL	29.1	9.3	44	1985			P	RADIAL	13/32
17	225/75R17	116/113R	BSW	30.4	8.9	80	2755			LT	RADIAL	14/32
18	275/65R18	116T	OWL	30.1	11	44	2778			P	RADIAL	13/32
20	275/55R20	117H XL	OWL	32	10.8	50	2833			P	RADIAL	13/32
17	245/75R17	121/118S	BSW	31.5	9.6	80	3195			LT	RADIAL	15/32
17	245/70R17	119/116S	OWL	30.6	9.6	80	2600			LT	RADIAL	16/32
17	255/65R17	110S	OWL	30.2	10	44	2335			P	RADIAL	13/32
18	265/70R18	116H	BSW	32.5	10.7	44	2756			P	RADIAL	13/32
17	265/70R17	115T	OWL	31.6	10.4	44	2680			P	RADIAL	14/32
16	225/70R16	107T XL	OWL	28.5	8.9	50	2150			P	RADIAL	13/32
16	215/70R16	100T	OWL	28	8.5	44	1765			P	RADIAL	13/32
16	235/65R16	107T XL	OWL	28	9.3	50	2150			P	RADIAL	13/32
17	235/70R17	111S XL	OWL	30	9.3	50	2405			P	RADIAL	13/32

20	275/60R20	115T	OWL	32.9	10.8	44	2680			P	RADIAL	13/32
20	265/60R20	121/118R	BSW	32.7	10.6	80	3195			LT	RADIAL	15/32
15	235/70R15	107S XL	OWL	28	9.3	50	2150			P	RADIAL	13/32
16	255/70R16	111S	OWL	30.1	10	44	2405			P	RADIAL	13/32
16	235/75R16	112S XL	OWL	29.9	9.3	50	2470			P	RADIAL	13/32
16	235/70R16	106T	OWL	29	9.3	44	2095			P	RADIAL	13/32
17	245/70R17	110S	OWL	30.6	9.6	44	2335			P	RADIAL	13/32
16	265/75R16	123/120S	OWL	31.6	10.4	80	3415			LT	RADIAL	16/32
16	265/75R16	116T	OWL	31.6	10.4	44	2778			P	RADIAL	14/32
17	245/75R17	112T	BSW	31.5	9.5	44	2469			P	RADIAL	13/32
17	245/65R17	111H XL	OWL	29.4	9.6	50	2405			P	RADIAL	13/32
18	265/65R18	114H	BSW	31.5	10.6	44	2601			P	RADIAL	13/32
16	265/70R16	112S	OWL	30.7	10.4	44	2470			P	RADIAL	14/32
20	275/65R20	126/123R	BSW	34.2	11	80	3750			LT	RADIAL	16/32
16	235/85R16	120/116S	OWL	31.8	9.3	80	3042			LT	RADIAL	16/32
17	265/70R17	121/118S	OWL	31.6	10.4	80	3195			LT	RADIAL	16/32
18	275/70R18	125/122S	OWL	33.2	10.8	80	3640			LT	RADIAL	16/32
15	235/75R15	109S XL	OWL	28.9	9.3	50	2271			P	RADIAL	13/32
17	235/75R17	109S	OWL	31	9.3	44	2271			P	RADIAL	13/32
16	245/75R16	111S	OWL	30.5	9.6	44	2405			P	RADIAL	13/32
17	275/60R17	110S	OWL	30	10.8	44	2335			P	RADIAL	13/32
17	235/80R17	120/117S	OWL	31.8	9.3	80	3085			LT	RADIAL	16/32
18	275/65R18	123/120S	BSW	32.1	10.9	80	3415			LT	RADIAL	16/32
16	245/70R16	111S XL	OWL	29.4	9.6	50	2405			P	RADIAL	13/32
17	225/65R17	102H	OWL	28.6	8.9	44	1875			P	RADIAL	13/32
17	265/65R17	112S	OWL	30.5	10.4	44	2470			P	RADIAL	13/32
18	265/60R18	114H XL	OWL	30.6	10.4	50	2601			P	RADIAL	13/32
16	225/75R16	115/112S	OWL	29.3	8.9	80	2680			LT	RADIAL	14/32
16	225/75R16	104T	BSW	29.3	8.7	44	1984			P	RADIAL	14/32
17	255/70R17	112S	OWL	31.1	10	44	2470			P	RADIAL	13/32
18	255/70R18	113S	BSW	32.1	10	44	2535			P	RADIAL	13/32
16	245/75R16	120/116S	OWL	30.5	9.6	80	3042			LT	RADIAL	16/32
18	265/70R18	124/121S	BSW	32.6	10.6	80	3525			LT	RADIAL	16/32



Overall Width (+/- 2%) Overall Diameter (+/- 1.5%) Static radius (+/- 2%) Circumference (+/- 2.5%)

for Maxxis Tyres | PK
MAXXIS[®]
CEO | Maxxis Pakistan

M. 