


Summer Ultra High Performance based on our competition drift tire.

ULTRA HIGH-PERFORMANCE RADIAL MA-Z1 is an ultra-high-performance radial featuring an aggressive unidirectional tread design. The MA-Z1 offers excellent cornering and handling ability as well as superior wet and dry traction.




SPECIFICATIONS

Rim Size	Size	Service Description	SideWall Name	Overall Diameter	Section Width	MaxPSI	Max Load [lbs]	Approved Rim Width [in]	Ply Rating	P/C/LT	Radial/Bias	Tread Depth
13	175/50R13	76V XL	BSW	19.7	7	50	882	5.5	-	P	RADIAL	10/32
14	185/50R14	77V	BSW	21.1	8.1	44	908	6	-	P	RADIAL	10/32
14	205/60R14	88V	BSW	23.6	8.5	44	1235	6	-	P	RADIAL	10/32
15	195/45R15	78V	BSW	21.9	7.6	44	937	6.5	-	P	RADIAL	11/32
15	195/50R15	86V XL	BSW	22.7	7.7	50	1168	6	-	P	RADIAL	10/32
15	195/55R15	85V	BSW	23.4	7.7	44	1135	6	-	P	RADIAL	10/32
15	205/50R15	89V XL	BSW	23.1	8.3	50	1290	6.5	-	P	RADIAL	10/32
15	205/55R15	88V	BSW	23.9	8.4	44	1235	6.5	-	P	RADIAL	10/32
15	225/60R15	96V	BSW	25.6	9.1	44	1565	6.5	-	P	RADIAL	11/32
16	195/45R16	84V XL	BSW	22.9	7.6	50	1102	6.5	-	P	RADIAL	11/32
16	195/55R16	91V XL	BSW	24.3	7.9	50	1356	6	-	P	RADIAL	10/32
16	205/40R16	83W XL	BSW	22.6	8.5	50	1074	7.5	-	P	RADIAL	10/32
16	205/45R16	87W XL	BSW	23.2	8.3	50	1201	7	-	P	RADIAL	11/32
16	205/50R16	91W XL	BSW	24	8.2	50	1356	6.5	-	P	RADIAL	10/32



16	205/55R16	94W XL	BSW	24.8	8.3	50	1477	6.5	-	P	RADIAL	10/32
16	215/40R16	86W XL	BSW	22.8	8.8	50	1168	7.5	-	P	RADIAL	11/32
16	215/55R16	97W XL	BSW	25.2	8.9	50	1609	7	-	P	RADIAL	11/32
16	225/40R16	89W XL	BSW	23.1	9.3	50	1290	8	-	P	RADIAL	11/32
16	225/45R16	93W XL	BSW	23.8	9.3	50	1433	7.5	-	P	RADIAL	10/32
16	225/50R16	96W XL	BSW	24.8	9	50	1565	7	-	P	RADIAL	11/32
16	225/55R16	99W	BSW	25.7	9.1	50	1709	7	-	P	RADIAL	11/32
16	235/50R16	99W XL	BSW	25.2	9.6	50	1709	7.5	-	P	RADIAL	11/32
16	245/45R16	94W	BSW	24.5	9.8	44	1477	8	-	P	RADIAL	11/32
17	195/40R17	81W XL	BSW	23.1	8	50	1019	7	-	P	RADIAL	10/32
17	195/45R17	85W XL	BSW	23.8	7.8	50	1135	6.5	-	P	RADIAL	11/32
17	205/40R17	84W XL	BSW	23.5	8.5	50	1102	7.5	-	P	RADIAL	10/32
17	205/45R17	88W XL	BSW	24.3	8.3	50	1235	7	-	P	RADIAL	11/32
17	205/50R17	93W XL	BSW	25.1	8.2	50	1433	6.5	-	P	RADIAL	10/32
17	215/40R17	87W XL	BSW	23.9	8.7	50	1201	7.5	-	P	RADIAL	11/32
17	215/45R17	91W XL	BSW	24.8	8.3	50	1356	7	-	P	RADIAL	11/32
17	215/50R17	91W	BSW	25.4	8.7	44	1356	7	-	P	RADIAL	11/32
17	215/55R17	98W	BSW	26.3	8.9	50	1653	7	-	P	RADIAL	10/32
17	225/45R17	94W XL	BSW	25	8.9	50	1477	7.5	-	P	RADIAL	11/32
17	225/55R17	102W XL	BSW	26.7	9.1	50	1874	7	-	P	RADIAL	11/32
17	235/40R17	94W XL	BSW	24.4	9.8	50	1477	8.5	-	P	RADIAL	11/32
17	235/45R17	97W XL	BSW	25.3	9.4	50	1609	8	-	P	RADIAL	11/32
17	245/40R17	95W XL	BSW	24.7	9.8	50	1521	8.5	-	P	RADIAL	11/32
17	245/45R17	99W XL	BSW	25.6	9.6	50	1709	8	-	P	RADIAL	11/32
17	255/40R17	98W XL	BSW	25	10.3	50	1653	9	-	P	RADIAL	11/32
17	255/45R17	102W XL	BSW	23.6	10.1	50	1874	8.5	-	P	RADIAL	11/32
18	225/40R18	92W XL	BSW	25.2	9.2	50	1389	8	-	P	RADIAL	11/32
18	225/45R18	95W XL	BSW	25.9	8.9	50	1521	7.5	-	P	RADIAL	10/32
18	235/40R18	95W XL	BSW	25.5	9.7	50	1521	8.5	-	P	RADIAL	11/32
18	235/50R18	101W XL	BSW	27.2	9.4	50	1819	7.5	-	P	RADIAL	10/32
18	245/40R18	97W XL	BSW	25.7	9.8	50	1609	8.5	-	P	RADIAL	11/32
18	245/45R18	100W XL	BSW	26.7	9.4	50	1764	8	-	P	RADIAL	11/32
19	255/40R19	100W XL	BSW	27.2	10.4	50	1764	9	-	P	RADIAL	10/32



Overall Width (+/- 2%) Overall Diameter (+/- 1.5%) Static radius (+/- 2%) Circumference (+/- 2.5%)

for Maxxis Tyres | PK
MAXXIS[®]
CEO | Maxxis Pakistan

A handwritten signature in blue ink is written over a circular blue stamp. The stamp contains the text "AKESHA HARRIAN PVT. LTD." around the perimeter and "Faisalabad" in the center.